



LAPI LABORATORIO PREVENZIONE INCENDI S.p.A.
Sede Primaria: I-59100 PRATO - Via della Quercia, 11
Telefono +39 0574.575.320 - Telefax +39 0574.575.323
Sede Secondaria: I-50041 CALENZANO (FI) - Via Petrarca, 48
e-mail: lapi@laboratoriolapi.it
web site: www.laboratoriolapi.it

Notification N°0987

Certificate N°0987/MED-D/1053 Rev. 2

PRODUCTION QUALITY ASSURANCE (Module D)

CERTIFICATE N° 0987/MED-D/1053 Rev. 2

issued by LAPI SPA Notified Body no. 0987

Application Of:

DIRECTIVE 2014/90/EU of 23rd July 2014 and REGULATION (EU) 2026/1434 of 30th June 2026

Applicant/Manufacturer:

ALCANTARA S.p.A.

Strada di Vagno, 13 - 05035 NERA MONTORO (TR) - Italy




Scope: Products as listed below

Product name	Product description	ITEM	Module B
• ALCANTARA® BOW Cod. 5056 - Cod. 5305 - Cod. 5306	Surface materials and floor coverings with low flame-spread characteristics: Decorative veneers	MED/3.18a	0987/MED-B/1205
• ALCANTARA® SWELL Cod. 7B**; Cod. 5328; Cod. 5380; Cod. 5392; Cod. 5466; Cod. 5779	Upholstered furniture: cover material for any filling material	MED/3.20b	0987/MED-B/1142

This is to certify that LAPI S.p.A., Notified Body no. 0987, did undertake the relevant quality assessment procedures for the equipment of the manufacturer identified above, which was found to be in compliance with the Fire Protection requirements of Directive (MED) 2014/90/EU of 23rd July 2014, Regulation (EU) 2026/1434 of 30th June 2026 and with the type described in the EC Type Examination Certificates (Module B) listed above and reported in the Attachment to this Certificate, subject to any conditions as described in pertinent Module B.

This Certificate authorizes the manufacturer, or his authorised representative established within the Community, in conjunction with the EC type-examination (Module B) Certificate of the equipments listed in the scope, to affix the "Mark of Conformity" (Wheelmark), as shown below, and exemplified in the Attachment.

The manufacturer is allowed to affix the US Coast Guard approval number reported in the Attachment as allowed by the "Agreement between the European Community and the United State of America on Mutual Recognition of Certificates of Conformity for Marine Equipment" signed on 27 February 2004 and amended by Decision No.1/2018 dated 18 February 2019



Wheelmark

0987/yy (yy being the last two digits of the year when the wheelmark is affixed)

The manufacturer, or his authorised representative established within the Community, shall issue a Declaration of Conformity relevant to the product(s) listed in this Certificate.

This Certificate loses its validity if the Manufacturer makes any changes or modification to the approved quality system, which have not been notified to, and agreed with the Notified Body named on this Certificate and/or after lapse of time, withdrawal or revocation of the EC type-examination (Module B) Certificate(s).

This Certificate consists of 1 (one) page and 1 (one) Attachment.

This revision of Certificate, first released on 16/03/2024 and last revised on 24/11/2025, has been issued in Prato, on **13/09/2026** and remains valid, unless cancelled or revoked until its expiry date of **15/03/2027**.

The present revision has been issued for the updating of Modules B with the insertion of Module B 0987/MED-B/1205

Note: This Module D must be read in conjunction with the Attachment.

Prato, 13/09/2026

The Technical Director

PROPOSED

Dr. Luca Ermini

The Certification Manager

APPROVED

Dr. David Borsini

This Certificate is issued under the Authority of Ministero delle Infrastrutture e dei Trasporti Comando Generale del Corpo delle Capitanerie di Porto according to Decreto Dirigenziale 1137/2024 of 05th August 2024.



Attachment to

Certificate N°0987/MED-D/1053 Rev. 2

Attachment to Production Quality Assurance (Module D)
Certificate N° 0987/MED-D/1053 Rev. 2

**List of equipments**

Product name	ALCANTARA® BOW - (Weight: from 150 g/m ² to 170 g/m ²): Cod. 5056 - Cod. 5305 - Cod. 5306
Description and item	Surface materials and floor coverings with low flame-spread characteristics: Decorative veneers - MED/3.18a
Module B reference	0987/MED-B/1205 issued by LAPI SpA No. 0987 on 13.09.26 expiring on 12.09.31
USCG number	164.112/EC0987/MED 1205
Product name	ALCANTARA® SWELL (Weight: from 500 g/m ² to 790 g/m ²): Cod. 7B**; Cod. 5328; Cod. 5380; Cod. 5392; Cod. 5466; Cod. 5779
Description and item	Upholstered furniture: cover material for any filling material - MED/3.20b - Row 1 of 1
Module B reference	0987/MED-B/1142 issued by LAPI SpA No. 0987 on 24.11.25 expiring on 23.11.30
USCG number	164.144/EC0987/MED 1142

Places of production

All equipments are manufactured stored, identified and marked in the site of
ALCANTARA S.p.A. - Strada di Vagno, 13 - 05035 NERA MONTORO (TR) - Italy.

Restrictions

The application of all the above equipments is subjected to all the restrictions specified in the correspondent Module B, which must be considered by the Applicant / Manufacturer when issuing the Declaration of Conformity.

Note: This Attachment must be read in conjunction with the cited Module D.

Prato, 13/09/2026

The Technical Director

PROPOSED

Dr. Luca Ermini

The Certification Manager

APPROVED

Dr. David Borsini



LAPI LABORATORIO PREVENZIONE INCENDI S.p.A.
Sede Primaria: I-59100 PRATO - Via della Quercia, 11
Telefono +39 0574.575.320 - Telefax +39 0574.575.323
Sede Secondaria: I-50041 CALENZANO (FI) - Via Petrarca, 48
e-mail: lapi@laboratoriolapi.it
web site: www.laboratoriolapi.it

Notification N°0987

Item: MED/3.18a

Certificate N°0987/MED-B/1205

MRA Mutual Recognition Agreement on Marine Equipment EC-US

**EC TYPE-EXAMINATION CERTIFICATE
(Module B)**

Application Of:

DIRECTIVE 2014/90/EU of 23rd July 2014 and REGULATION (EU) 2026/1434 of 30th June 2026

Certificate N° 0987/MED-B/1205

This Certificate consists of 1 page and 1 Annex

This is to certify that the product

Alcantara® BOW

Cod. 5056 - Cod. 5305 - Cod. 5306

(Nom. Weight: from 150 to 170 g/m²)

Item: MED/3.18a Row 1 of 1

Product type:

**SURFACE MATERIALS AND FLOOR COVERINGS WITH LOW FLAME-SPREAD CHARACTERISTICS:
DECORATIVE VENEERS**

Supplied / Manufactured by:

ALCANTARA S.p.A.

Strada di Vagno, 13 - 05035 Nera Montoro (TR) - Italy

Complies with the requirements in the following Regulations/Standards:


Annex B, Module B in the above Directive and as applicable:

- SOLAS 74 Reg. II-2/3; SOLAS 74 Reg. II-2/5; SOLAS 74 Reg. II-2/6, SOLAS Reg. X/3.
- SOLAS Reg. II-2/3, Reg. II-2/5, Reg. II-2/6, IMO Res. MSC.36(63)-(1994 Code HSC) 7, IMO Res. MSC.97(73)-(2000 HSC Code) 7, IMO MSC/Circ. 1120.
- IMO Res. MSC.307(88)-(2010 FTP Code), as amended.

This equipment is covered by the scope of the "Agreement between the European Community and the United States of America on Mutual Recognition of Certificates of Conformity for Marine Equipment" signed on 27 February 2004 and amended by Decision No.1/2018 dated 18 February 2019 according to U.S. Coast Guard approval category 164.112.

A U.S. Coast Guard approval number will be assigned to the equipment when the production module has been completed and will appear on the production module certificate (module D, E or F) as allowed by the MRA.

Further details of the product and conditions for certification are given in the Annex



The Mark of Conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-control phase module (D, E, or F) of the Directive is fully complied with.

This certificate will not be valid if the manufacturer makes any changes or modifications to the approved type of equipment, which have not been notified to, and agreed with, the notified body named on this certificate.

During the period of validity of this certificate the applicable regulations (international conventions and the relevant resolutions and circulars of the IMO) and testing standards of the Commission Implementing Regulation may change, therefore the product conformity may need to be re-assessed by the Notified Body.

Prato, 13/09/2026

The Technical Director

PROPOSED

Luca Ermini

The Certification Manager

APPROVED

David Borini

This certificate is valid until 12/09/2031

This Certificate is issued under the Authority of Ministero delle Infrastrutture e dei Trasporti Comando Generale del Corpo delle Capitanerie di Porto according to decreto dirigenziale N° 1137/2024 of 05th August 2024.



Annex to EC Type-Examination Certificate (Module B)

Product description: non-woven fabric with a suede side of beige (Cod. 1254) colour.

Technical data of the material:

Component (Rif. Lab. no. 1569/26)	Composition	Thickness (mm)	Weight (g/m ²)
Alcantara® BOW - Cod. 5056	70±3% Polyester - 30±3% Polyurethane	0.40 ± 0.05	150.0 ± 50.0

Product description: non-woven fabric with a suede side of light blue and printed (Cod. P100) colour.

Technical data of the material:

Component (Rif. Lab. no. 1570/26)	Composition	Thickness (mm)	Weight (g/m ²)
Alcantara® BOW - Cod. 5305	70±3% Polyester - 30±3% Polyurethane	0.40 ± 0.05	170.0 ± 60.0

Product description: non-woven fabric with a suede side of yellow and embossed (Cod. 1044) colour.

Technical data of the material:

Component (Rif. Lab. no. 1571/26)	Composition	Thickness (mm)	Weight (g/m ²)
Alcantara® BOW - Cod. 5306	70±3% Polyester - 30±3% Polyurethane	0.40 ± 0.05	150.0 ± 50.0

Flame retardant products: Decabromodiphenyl Ethane (CAS 84852-53-9) and Antimony Trioxide (CAS 1309-64-4).

Flame retardant: on back-side for resinated in ratio 30±3% of the weight of the non treated product.

Side exposed: suede surface. - End use: cover for walls.

Laying mode: glued on non-combustible support with adhesive type Adesilex MT32 by Mapei S.p.A. in ratio of 200 g/m² (calcium silicate, thickness 12.5 mm, density 950 ±100 kg/m³ as per FTP Code 2010, Annex 1 Part 5, Appendix 1 §3.1).

Production batches by the Sponsor: n° 3020046 on 29th April 2026 (Rif. Lab. no. 1569/26); n° 2444896 on 01st August 2021 (Rif. Lab. no. 1570/26) and n° 2444898 on 13th October 2021 (Rif. Lab. no. 1571/26); c/o the factory Alcantara S.p.A.

located in Strada di Vagno, 13 - Nera Montoro (TR) - Italy.

Technical File Reference: 314/26

Applications / Limitations of use

The material fulfils the requirements of **FTP Code (2010) Annex 1, Part 2 and 5.**

Calorific value to be less than 45 MJ/m² when required.

The compliance is valid for:

- For all colour.
 - The nominal thickness of 0.40 ± 0.05 mm and weight from 150 to 170 g/m².
 - Provided the flame retardant agent is not changed, nor its percentage of 30±3% by weight on the non treated product.
 - For application on non-combustible substrates with adhesive type Adesilex MT32 by Mapei S.p.A. in ratio of 200 g/m².
- The compliance is valid moreover provided the composition of material remains the same as the one subjected to the tests for the present Type Examination.

Moreover according to Directive 2014/90/EU, Annex II Paragraph 3, a project examination and a risk evaluation have been carried out.

Concerning this aspect, the Sponsor has declared that the applicable standard cover all the reasonable risk that can be foreseen. This Notified Body maintains such a declaration in the files relative to the product object of this EC Type Examination.

Type approval documentation

Products	Test Reports no.	Issued by
Alcantara® BOW - Cod. 5056 (Ref. Lab. no. 1569/26)	• 1569.4IM0080/26 - 1570.4IM0080/26 - 1571.4IM0080/26 Smoke and Toxicity test in accordance to FTP Code 307 (88) Ed. 2010 Annex 1 Part 2	LAPI Laboratorio Prevenzione Incendi S.p.A. - Italy -
Alcantara® BOW - Cod. 5305 (Ref. Lab. no. 1570/26)	• 1569.4IM0090/26 - 1570.4IM0090/26 - 1571.4IM0090/26 Measure of gross calorific value in accordance to FTP Code 307 (88) Ed. 2010 Annex 1 Part 5	Notified Testing Body N° 0987
Alcantara® BOW - Cod. 5306 (Ref. Lab. no. 1571/26)	• 1569.4IM0100/26 - 1570.4IM0100/26 - 1571.4IM0100/26 Surface flammability test in accordance to FTP Code 307 (88) Ed. 2010 Annex 1 Part 5	EN 17025 Accredited Laboratory IMO Laboratory SSE.1 / Circ. 3 Rev. 2 (2019)