0.6 LIGHT

ALCANTARA®

AA00
GESSO

AE01
VANILLA

AA45
LINO

AA20
CAMELIA

AA11
MONASTERO

AK00
ALASKA

AA01
AGATA

AF04
SAINT GERMAIN

BQ03
MILANO

XV01
COFFE BEAN

BV00
FOG

BA01
ZURIGO

XV04
FUMÈ

XE04
LAVAGNA

ZL09
MIDNIGHT

AA09
BIARRITZ

ZA43
DELFT

ZC09
INK

ZP09
TITANO

ZA98
ECLISSI

AB01
CRÈME

BA14
IRISH COFFE

BA13
MACCHIATO

XE01
HIDE PARK

ZA38
TAMARI

BB07
CANAPA

AL00
DUNA

AA72
BOULEVARD

BH03
BLEEKER

ZA65
GHISA

AA61
CANDY FLOSS

ZC07
DALIA

ZE07
PRINCE

ZZ07
MIRTILLO

ZA27
PROVENCE

AA02
ANGEL

AA32
ELETTRA

AA55
QUARTZ

BA27
MAUVE

ZB07
GOA

BL02
NUTTY

BA82
GOMMA

BA86
MATTONE

ZZ00
HENNÈ

ZA09
BROWNIE

AA74
POMPELMOUSSE

AR05
CARROT

AF02
HOLIDAY

XA06
BAISER

ZA72
VESUVIO

ZA74
EVERGREEN

AF01
SPRING

AA60
AFTER EIGHT

BA92
PAGODA

AA91
RIBBON

AA75
DAISY

BG08
COHIBA

AA53
CITRINO

BA50
NILO

AB57
JADE

ALCANTARA® 0.6 LIGHT

Alcantara® 0.6 Light	**Cod. 5507**		
APPLICATIONS	**Apparel**		
MAIN CHARACTERISTICS			
COMPOSITION	ALCANTARA®	POLYESTER POLYURETHANE	79 ± 3 % 21 ± 3 %
THICKNESS			0.57 ± 0.1 mm
UNIT WEIGHT		UNI EN 29073-1	170 ± 25 g/m2
WIDTH			≥ 142 cm
DIMENSIONAL STABILITY	Water 40°C	UNI EN ISO 25077 + 6330	≤ 3 %
BREAKING LOAD	Lengthwise Crosswise	UNI EN 29073-3	≥ 125 N ≥ 90 N
TEAR STRENGTH		EN ISO 13937-1	≥ 8 N
ABRASION RESISTANCE	Schiefer	ASTM-D4158	≥ 100 cycles
COLOR FASTNESS (**)			
TO LIGHT	20h Fadeometer	AATCC 16A	≥ 3 grey scale (1-5)
TO DOMESTIC WASHING	Tone change Staining	UNI EN ISO 105 C06	≥ 3 grey scale (1-5) ≥ 2 grey scale (1-5)
TO DRY CLEANING	Tone change Staining	AATCC 132	≥ 3 grey scale (1-5) ≥ 2 grey scale (1-5)
TO RUBBING	Dry Wet	UNI EN ISO 105 X12	≥ 3 grey scale (1-5) ≥ 2 grey scale (1-5)
TO PERSPIRATION	Acid Alkaline	UNI EN ISO 105 E04	≥ 4.5 grey scale (1-5) ≥ 4.5 grey scale (1-5)
GENERAL WASHING			

(*) Slight change in the appearance of product surface.

(**) Slight shade variations from one production batch to another one are possible on these products.

NOTE: In case of items manufactured using different materials, always verify the compatibility of the same.

Sistemi di Gestione Certificati / Management System Certification

ALCANTARA® CARBON NEUTRAL CERTIFIED BY TÜV SÜD

ISO 9001 ISO 14001 TÜV SÜD SA 8000 OHSAS 18001